This is the parts list for the SCE170. When looking up part numbers, always check the complete model and serial numbers to be certain of ordering the correct parts.

The SCE170 has been manufactured in A, B and C series configurations. It has also been manufactured in 50 and 60 Hz.

60 Hz model numbers end in -1, 50 Hz in -6.


Model number examples include:

- SCE170A-1A A Series (Copeland Compressor)
- SCE170A-1B B series (Tecumseh Compressor)
- SCE170W-1C C series (water cooled condenser change)
- •SCE170A-1H H series color change
- •SCE170W-1H H series color change


Plastic tubing that has a length measurement in the description is sold by the foot, order 1 unit, and 1 foot will be shipped. Order enough to cover the length required. Lengths of tubing are listed under the description column.

TABLE OF CONTENTS

Cabinet														Page 2
Air cooled refrigeration .														Page 3
Water cooled refrigeration														Page 4
Refrigeration														Page 5
Water & Control System.														Page 6
Control box														Page 8
Wiring diagrams														Page 0




August 2007 Page 2




August 2007 Page 3

Water Cooled Refrigeration




ITEM	PART		ITEM	PART	
NUMBER	NUMBER	DESCRIPTION	NUMBER	NUMBER	DESCRIPTION
1	A31828-002	Drain casting	10a	Copeland Sta	rting Components
2	03-0571-02	Screw		18-1901-15	Start capacitor
3	18-3707-25	WC Condenser for A		18-1903-49	Relay
	18-3303-02	WC Condenser for B		18-8703-50	Overload
	18-8869-21	WC Condenser for C or H		115/60/1 Tecu	umseh Starting Components
4	A35642-001	Bracket		18-8831-29	Start capacitor
5	16-0832-20	Access valve		18-8831-28	Start relay
6	16-0832-03	Core cap		18-8831-27	Overload
7	16-0832-02	Stem cap		230/50/1 Tecu	umseh starting components
8	11-0487-21	Hi press. cut out		18-8831-25	Start capacitor
9	11-0478-01	Water regulating valve		18-8831-24	Start relay
10	A37824-021	115 volt compressor kit		18-8831-23	Overload
	18-8831-26	230/50/1 compressor kit	Compre	ssor Mounting	Hardware:
includes r	elay, overload,	drier and start capacitor	11	03-1677-01	Screw
				03-1407-07	Washer
				18-2200-27	Sleeve
			12	18-2200-28	Grommet

Refrigeration System



ITEM	PART	
NUMBER	NUMBER	DESCRIPTION
1	A35688-020	Evaporator
2	11-0475-21	Hot gas valve & coil, 115/60/1
	11-0475-22	Hot gas valve & coil, 230/50/1
3	16-0868-21	Thermo expansion valve for A series
	16-0868-22	TXV for B or C or H series. Replaces 16-0868-02, 16-0868-03 or 18-0868-04 valves - locate bulb next to cube size control bulb.
4	02-3231-01	Hot gas valve filter
5	02-3319-01	Dryer
6	A36067-001	Insulation


Water & Control System



Water & Control System


ITEM	PART	
NUMBER	NUMBER	DESCRIPTION
1	02-3278-01	Hinge pin
2	02-3279-01	Curtain
3	12-2436-22	Curtain sensor
4	02-3295-01	Inner water tube
5	02-3281-01	Right end cap
6	02-3294-01	Outer water tube
6a	03-0255-02	SS wing nut
7	A35669-001	Left end fitting
8	02-2814-08	Hose clamp
9	02-3280-01	Pump hose
10	no number	#8 - 36 1/4" stainless steel machine screw
11	A35686-001	Pump shield
12	03-0727-09	Thumb screw
13	02-3276-01	Reservoir
14	13-0840-01	Drain plug
15	12-2419-71	Water pump, 115/60/1
	12-2419-75	Water pump, 230/50/1
16	13-0896-01	Grommet
17	03-0571-02	Screw
18	A35680-001	Pump bracket
19	13-0895-01	Water inlet tube, 40" needed
20	16-0835-01	Water inlet fitting
21	16-0837-01	Elbow fitting
22	11-0480-01	Purge valve, 115/60/1
	11-0480-02	Purge valve, 230/50/1
22a	03-1638-03	Screw
22b	03-1684-01	Retaining washer
23	02-3287-01	Purge drain tube
24	no number	Water shut off valve - part of item 25
25	02-3612-01	Float valve, includes item 24.

Control Box




Wiring Diagram

115/60/1 Air or Water Cooled




Wiring Diagram 115/60/1 Air or Water Cooled

A36257-001



Note: Shown in Timed Portion of Freeze Cycle
Manual Purge Only Works in Clean

230/50/1 Wiring Diagram



June 2002 Page 11



Bulletin Number: PS - 10 - 98
Bulletin Date: October 1998

SERVICE BULLETIN

Subject: SCE170 Air Cooled High Pressure Cut Out Change

Beginning with serial numbers ending in -04B (October 1998 production), the high pressure cut out (also called the high pressure control) has been changed from a manual reset to an **automatic reset**.

When replacing a defective high pressure cut out on an air cooled SCE170, replace the old switch (part number 11-0485-22 - cut out at 450 PSIG), with the **new** switch, part number **11-0501-22** (cut out at 450 PSIG, cut in at 350 PSIG).

Although the new cut out connects to the machine's wiring in the same place as the original's, when replacing a manual reset cut out, quick connects will have to be added to the existing wires so they can be plugged onto the new switch. Also, part number 11-0485-22 will continue to be used as a service part for other products.



Bulletin Date:

September 2000

SERVICE BULLETIN

Subject: SCE170 B Series

The SCE170 has had a model series revision. The new models are SCE170A-1B and SCE170W-1B. The changes are in the refrigeration system and include a new compressor.

New Parts for the B series:

Compressor Kit		A37824-021
Start Capacitor		18-8831-29
Relay		18-8831-28
Overload		18-8831-27
Air Cooled Condense	r	18-8844-01
Water Cooled Conde	18-3303-02	
Thermostatic Expansi	16-0868-22	

The A37824-021 compressor kit (Tecumseh) replaces the prior Copeland compressor, which is no longer available. The kit includes the new compressor (plus relay, capacitor, overload and a drier) and the necessary tubing to connect it to the refrigeration system of the A series. Refer to the instructions that are included with the kit for detailed information.

The B series refrigerant charge has changed from the A series:

Air cooled B series is 16 ounces

Water cooled B series is 11 ounces, both remain R-404A.



Bulletin Number: PS - 13 - 2001
Bulletin Date: December 2001

SERVICE BULLETIN

SUBJECT: Thermostatic Expansion Valve Changes

SCE170 B Series: The replacement TXV for this series machine has been changed. Although the service kit part number remains 16-0868-22, the TXV supplied in the kit is now part number 16-0868-03.

When installing a 16-0868-03 TXV on a **B series SCE170 that had the prior valve**, relocate the TXV bulb from its vertical suction line location to the horizontal suction line position, just to the right (when viewed from the back) of the cube size control bulb.

Production of SCE170s with this valve began in early November, 2001, and they have the TXV bulb next to the cube size control bulb, so they do not require bulb relocation when replacing the TXV. The A series valve does not change.

AFE400: The replacement TXV for the AFE400 has been changed from 16-0996-01 to **16-1091-21**. These valves are completely interchangeable. Production of AFE400s with the new valve began in early December, 2001.