

ACCURATE, ADJUSTABLE PORTIONS IN LESS SPACE

QUICK START

YOU WILL NEED:

- Screwdriver
- (4) screws &
- (4) anchor bolts (if needed)





PRACTICE SAFETY. WASH ALL PARTS PROPERLY BEFORE USE, See page 5.



INSTALL WALL BRACKET

Select wall location or sturdy vertical surface for mounting.

Determine proper mounting hardware you will need to supply.

Secure bracket to wall stud(s), anchor bolts in wall, or sturdy vertical surface.






PLACE PORTION TRAYS

Color-coded trays indicate portion dispensed (by volume).

Slide all four trays of desired serving size into cylinder.

COLOF
White
Blue
Green
Pink




DID YOU KNOW?

The cylinder may be used without any portion trays. This yields 2 fl oz portions.



ATTACH FRICTION PAD


Insert four triangular tabs on friction pad into matching slots in cylinder.





INSTALL CYLINDER


Slide cylinder, friction pad first, into the opening of dispenser body.






Slide handle over both sides of body and cylinder.

Snap handle centers into holes on each side.






Use pull-tab on right side of handle to help position.

6 INSTALL PIVOT PIN

Slide pivot pin into center hole on left side of handle.







Align arrow on the pin with the unlock position.

Push pin in.
Rotate to the locked position.

- 7 ADD ADAPTER CUP to the bottom opening of the unit.
- 8 FILL UNIT WITH INGREDIENT YOU WANT TO DISPENSE
- 9 PUT THE LID ON TOP OF THE UNIT




SWING HANDLE UPWARD to load the trav.

SWING HANDLE DOWNWARD

to dispense the portion.


TIP: For cylinder to advance and serve a portion, the handle must travel its full range of motion up and down. Angled tabs inside handle must tap bottom.






DISASSEMBLY

- REMOVE LID
- 2 EMPTY INGREDIENTS FROM UNIT
- 3 REMOVE ADAPTER CUP



REMOVE PIVOT PIN


Rotate pin to the unlock position and take it out.



REMOVE HANDLE


Use the pull-tab on right side to assist.

Lift handle upward to the position just before it would click. This makes the handle easier to remove.




REMOVE CYLINDER

Slide the cylinder out of the unit.



- REMOVE FRICTION PAD
- 8 REMOVE PORTION TRAYS



NEXT: CLEAN

SAFETY



According to food and safety regulations, most foods must be stored and/or served at certain temperatures or they could become hazardous. Check with local food and safety regulators for specific guidelines.

Be aware of the product you are serving and the temperature the product is required to maintain. Server Products, Inc. cannot be responsible for the serving of potentially hazardous product.

IMPORTANT

Clean, rinse, sanitize, and dry parts daily or regularly to comply with local sanitization requirements.

CAUTION

Keep fingers clear of all moving parts to prevent operator injury when dispensing product, during cleaning, assembly and disassembly.



NSF International listed.

ADA compliant

CLEANING



After disassembling, clean all washable parts with soap and hot water.



fully with clear water.




all parts according to local sanitization requirements. All parts in contact with food must be sanitized.





- External surfaces may be wiped clean with a clean damp cloth.
- Glass and surface cleaners approved for use in food contact areas may be used.
- Do not use abrasive, caustic or ammonia based cleansers.
- Do not use metal scrapers or cleaning pads that could scratch surfaces.

TROUBLESHOOTING



Make sure the **portion trays** are installed correctly. The curved tab on tray end should rest outside cylinder.

SERVER PRODUCTS LIMITED WARRANTY





All Server Products equipment is backed by a two-year limited warranty against defects in materials and workmanship.

For complete warranty information go to:

www.Server-Products.com

GENERAL SERVICE, REPAIR OR RETURNS

Before sending any item to Server Products for service, repair, or return, contact Server Products customer service to request a **Return Authorization Number**. Merchandise must be sent to Server Products with this number. Service is extremely prompt. Typically, units are repaired and ship out within 48 hours of receipt.

Merchandise being returned for credit must be in new and unused condition and not more than 90 days old and will be subject to a 20% (percent) restocking charge.

COMPANION PRODUCTS

Need to dispense crushed candy bars?

Contact Customer Service to determine the best options.

262.628.5600 | SPSALES@SERVER-PRODUCTS.COM

Need to dispense powdered product?

We offer a model for dispensing powders.



MINI STATION COMBOS provide up to (4) hours of cold food holding for a convenient serving area of multiple toppings or inclusion in a small footprint. Versions are available for (2-4) flavors.




THE SWEETSTATION™ is perfect for those only needing to dispense sweeteners. They include (3) or (4) InSweeten™ dispensers (in 24 or 14 oz. capacities), a wall or surface-mountable rack and flavor decals.

Registered trademarks of Sweet 'N Low® & Splenda® are property of their respective owners.

SLIMLINE™ DRY FOOD DISPENSER

MODEL: DFD



HELP or ORDERING REPLACEMENT PARTS

Server Products Inc.

3601 Pleasant Hill Road Richfield, WI 53076 USA



262.628.5600 | 800.558.8722



SPSALES@SERVER-PRODUCTS.COM

Please be prepared with your **Series Number** and **Description** located on the lid of the unit.

Individual Part Numbers listed above.